

**PATENT**

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In Re: Patent Application of : Group Art Unit: Not Yet Assigned  
Emilio ANTONINI :  
: Conf. No.: Not Yet Assigned :  
: Appln. No.: Not Yet Assigned : Examiner:  
: Filed: Herewith :  
: Attorney Docket  
For: METHOD AND DEVICE TO MAKE : No. 263-049U1  
HOLES FOR COMPONENTS OF WINGS : (L2-1087)  
FOR DOORS OR WINDOWS :

**PRELIMINARY AMENDMENT**

Simultaneously with the filing of the above-identified application with which this Preliminary Amendment is being filed, and prior to the calculation of the filing fee, Applicant hereby amends the application as follows, without prejudice:

**In the Specification:**

Please amend the specification as follow:

At page 1, lines 1-3, delete "METHOD AND DEVICE TO MAKE HOLES FOR COMPONENTS OF WINGS FOR DOORS OR WINDOWS" \* \* \* \* \*, and add new Title of the Invention Section as follows:

--TITLE OF THE INVENTION

Method And Device To Make Holes For Components Of Wings For Doors Or Windows

**CROSS-REFERENCE TO RELATED APPLICATION**

This Non-provisional Patent Application is based on Provisional Patent Application No. 60/249,983, filed November 20, 2000, the disclosure of which is incorporated herein by reference.--

## REMARKS

Claims 1 to 6 are pending in the application.

The purpose of this amendment is to insert the reference to the parent application of which this is a Non-provisional. Such amendments are formal in nature and no new matter is added by any of the above amendments. A marked-up copy of the title section having the bracketed additions and stricken deletions is enclosed to reflect these amendments. Entry of this amendment and early examination of this application are respectfully solicited.

Respectfully submitted,

**EMILIO ANTONINI**

October 16, 2007

(Date)

By:

Martin G. Belisario

**MARTIN G. BELISARIO**

Registration No. **32,886**

**AKIN, GUMP, STRAUSS, HAUER & FELD, L.L.P.**

One Commerce Square

2005 Market Street - Suite 2200

Philadelphia, PA 19103-7086

Telephone: (215) 965-1200

**Direct Dial: (215) 965-1303**

Facsimile: (215) 965-1210

E-Mail: mbelisario@akingump.com

MGB:sm

Enclosure

- 1 -

## [TITLE OF THE INVENTION

Method And Device To Make Holes For Components Of Wings For Doors Or Windows

~~"METHOD AND DEVICE TO MAKE HOLES FOR COMPONENTS OF WINGS FOR  
DOORS OR WINDOWS"~~ CROSS-REFERENCE TO RELATED APPLICATION :

This Non-provisional Patent Application is based on Provisional Patent Application  
No. 60/249,983, filed November 20, 2000, this disclosure of which is incorporated  
herein by reference.] FIELD OF THE INVENTION

5 The invention concerns a device to make holes in the  
uprights of a frame of a wing for doors or windows of the  
type with the selective regulation of the light through  
strips, or blinds, oscillating around at least one axis.

10 The invention also concerns a method to calculate, in a  
substantially automatic fashion, according to the height of  
the wing gap and the standardized height of each single  
blind, the number of blinds which can be applied to the wing  
and the interaxis, or pitch, between the holes by which the  
blinds are attached to said frame.

15 The device is substantially composed of a hole-making  
assembly, a programmable command unit which governs said  
hole-making assembly and a control panel to set the  
parameters and verify that operations are correct.

## BACKGROUND OF THE INVENTION

20 The state of the art includes wings for doors or windows  
comprising a frame consisting of one or more lower cross-  
pieces, one or more upper cross-pieces and substantially  
vertical uprights orthogonal to said upper and lower cross-  
pieces, on which a plurality of blinds are mounted, parallel  
25 and contiguous, and are able to be moved to allow more or  
less light to pass.

30 The blinds pivot oscillating with respect to said uprights  
and can assume a first position wherein they totally prevent  
the light from passing, a second position wherein they allow  
a maximum amount of light to pass, and a plurality of  
intermediate positions between said first and second  
position.

It is also known that making holes to attach the blinds to